



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	VALONA MS 5030 CL
Number	CZ4
Substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Metalworking fluid.
------------------------	---------------------

1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL OIL ASIA PACIFIC PTE LTD 331 North Bridge Road #23-01 Odeon Towers Singapore 188720 Tel: +65 6879 2200 Fax: +65 6879 2203
-----------------	--

For further information, please contact:

Contact Point	HSE
E-mail Address	ms.ap-sds@total.com

1.4. Emergency telephone number

Singapore: 800-101-2201 (toll-free in country) or +65 3158 1349
International: CHEMTREC +1 703 527 3887 (collect calls accepted)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification

Effects on or via lactation
Acute aquatic toxicity - Category 1
Chronic aquatic toxicity - Category 2

Label elements



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

**Signal Word**

WARNING

Hazard Statements

- H362 - May cause harm to breast-fed children
- H400 - Very toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid contact during pregnancy/while nursing
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary Statements - Response

- IF exposed or concerned: Get medical advice/attention
- Collect spillage

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	EC-No	Weight %
Chlorinated paraffins, C14-17	85535-85-9	287-477-0	1-<6

4. FIRST AID MEASURES

4.1. Description of first-aid measures

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

5.3. Advice for fire-fighters

Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
---	--

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

Mineral oil mist:
 USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined).
 Metalworking fluids:
 USA: NIOSH (REL) TWA 0.5 mg/m³.

Legend

See section 16

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment
General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Eye Protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls**General Information**

Local authorities should be advised if significant spillages cannot be contained. Do not allow material to contaminate ground water system. Prevent product from entering drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Color	light yellow
Physical State @20°C	liquid
Odor	Characteristic

Important health safety and environmental information

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH		Not applicable	
Boiling point/boiling range		No information available	
Flash point	218 °C 424 °F		ASTM D92 ASTM D92.
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	887.5 kg/m ³	@ 15 °C	ASTM D4052
Water solubility		No information available	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature			
Viscosity, kinematic	30 mm ² /s 5.426 mm ² /s	@ 40 °C @ 100 °C	ASTM D445 ASTM D445
Explosive properties	Not explosive		
Oxidizing Properties	No information available		

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Possibility of hazardous reactions None under normal processing

Other information

Pour point -9 °C ASTM D97

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Information on likely routes of exposure

Principle Routes of Exposure Skin contact, Eye contact, Inhalation, Ingestion.

Numerical measures of toxicity - Product Information

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

No information available

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chlorinated paraffins, C14-17 85535-85-9	LD50 > 2000 mg/kg (Rat)	LD50 > 2.5 ml/kg (Rat) = > 2800 mg/kg (Rat)	LC50 (1h) > 48170 mg/m ³ (Rat - Vapour) = > 48.17 mg/l

Information on toxicological effects

Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	Not classified as a sensitizer. No known effect based on information supplied.
Germ Cell Mutagenicity	This product is not classified as mutagenic. No known effect based on information supplied.
Carcinogenicity	This product is not classified carcinogenic. No known effect based on information supplied.
Reproductive toxicity	May cause harm to the unborn child.
STOT-single exposure	Not classified. No known effect based on information supplied.
STOT - repeated exposure	Not classified. No known effect based on information supplied.
Aspiration Hazard	Not classified. No known effect based on information supplied.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity - Product Information

No experimental data available .

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Chlorinated paraffins, C14-17 85535-85-9	EC50(72h) > 3.2 mg/l (OECD 201-Pseudokirchnerella subcapitata)	EC50 (48h) = 0.006 mg/l (Daphnia magna)	LC50 (96h) > 5000 mg/L (Alburnus alburnus)	

Chronic aquatic toxicity - Product Information

No experimental data available .

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Chlorinated paraffins, C14-17 85535-85-9	NOEC(72h) 0.1 mg/l (OECD 201-Pseudokirchnerella subcapitata)	NOEC (21d) 0.01 mg/l (Daphnia magna - OECD 202)		

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information No information available.

12.3. Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information

Chemical Name	log Pow
Chlorinated paraffins, C14-17 - 85535-85-9	6

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil mobility.

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Methods Should not be released into the environment. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Disposal Precautions Refer to section 8 for safety and protective measures for disposal personnel.

14. TRANSPORT INFORMATION

ADR/RID

UN/ID No	UN3082
Hazard class	9
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Packing Group	III
Classification Code	M6
Special Provisions	274, 335, 601
ADR Hazard Id (Kemmler Number)	90
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorinated paraffins, C14-17), 9, III, (E)
Limited quantity	5 L

IMDG/IMO

UN/ID No	UN3082
Hazard class	9
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Packing Group	III

Version SGPE



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

Marine pollutant	P
EmS No.	F-A, S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Chlorinated paraffins, C14-17), 9, III
Special Provisions	274, 335
Excepted Quantity	E1
Limited quantity	5 L

ICAO/IATA

UNID No	UN3082
Hazard class	9
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Packing Group	III
ERG Code	9L
Special Provisions	A97, A158
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Chlorinated paraffins, C14-17), 9, III
Excepted Quantity	E1
Limited quantity	30 kg G

15. REGULATORY INFORMATION

National regulatory information

Singapore

Applicable National Regulation:

Workplace Safety and Health (General Provision) Regulations

Maritime and Port Authority of Singapore (Dangerous Goods, Petroleum and Explosives) Regulations

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2015-06-30

Revision Note: *** Indicates updated section.



SAFETY DATA SHEET

according to SS 586

SDS # : 082789

VALONA MS 5030 CL

Issuing date: 2015-06-30

Revision Date: 2015-06-30

Version 1

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet

Version SGPE